


# FORWARD LIFT CABLE CHART



Part Number	Length	Model	Kit	Serial No. Prefix
992601	27' 10"	7B	992689	70
992608	34' 5 3/4"	7500A	992695	43
992614	35' 1"	9KOH, 9000OH	992696	053, 090
992624	31'6"	9B	992697	091, 092, 093
992625	32' 10"	7A	992698	56
992626	40'	DP12/DP15	994235	137, 185, 1580A, FBM, FBP, NUA, NUC, NUF, NUH, NUL, NUM
992627	33' 6"	DP97/DP10/10A DPO9A 9000A, 10000A, DP9A/S	994228	057, 105, 106, 110, 112, 143, 145, 148, 156, 157, 158, 159, 167, 0970A, 0980A, 090
992628	34' 4"	DP9		
992629	44'	DP12-2, DP15-2	994236	140, 211, 1582A, FBO, FBQ, NUB, NUD, NUE, NUG, NUN
992630	33'	9000A, 10000A, 10A Short Cable, 992627 Long	992699 (includes 992627)	112
992631	32' 8"	9000AN 10000AN Long	994463 (includes 992632)	064, 136
992632	32' 2"	9000AN 10000AN Short	994463 (includes 992631)	064, 136
992634	40' 2"	12000 2P		051
992635	44' 2"	12000 2P Ext Height		
992636	45' 2"	12000 2P Special		
992639	37' 6"	DP97-2/DP10-2/10000A2	994465	108, 114, 144, 146, 163, 0972A
992640	37"	10000A2 Short cable	994466 (includes 992639)	114
992645	29' 6"x5/16"	9FP, 9B	994226	116, 208, 0986A, NAA, NAB, NAC
GF-4000	28' 5 3/4"	BP9		
992659	37' 4"	DP97/10-2'	994229	165, 0982A
992662	33' 2 1/2"	8A Long	994225 (includes 992663)	37
992663	32' 4 1/2"	8A Short, DP7A	994225 (8A) or 992688	037, 119
992687	36' 7"	DP10AN-2'		
970910	33' 4"	IDP9	970912	0970B, 0970C, 0980C
NR10-4000	34' 3/4"	I10		Single Point Lock Release (May 2009)
1070911	33' 8"	DP10, I10	1070910	1070A, 1070B, 1080A, 1080B, NBN, NBO, NBS, NBT, NBU, NBV, NCA, NCB, NCG, NCL, NCQ, NCU, NCW, NDF, NDJ, NDM, NOA, NOD, NOG, NOJ, NOM, NON, NOP, NOR, NUO
1070914	32' 11"	DP10AN	1070913	1070A, 1070B, NCE, NCJ, NCO, NCT, NCZ, NDE <b>Make sure it is narrow width</b>

1072901	37' 6"	DP10A2, DP10S2, 10000A2 Long cable	1072900	1072A, 1072B, 107HB, 1082A, 1082B, NCC, NCD, NCH, NCI, NCM, NCN, NCR, NCS, NCV, NCY, NDC, NDG, NDI, NDO, NDP, NOB, NOC, NOE, NOF, NOH, NOI, NOK, NOL, NOO, NOQ <b>Make sure it is std width</b>
1072903	36' 9"	DP10AN2	1072902	1072A, 1072B, 107HB, 108HB, NCF, NCK, NCP, NDL, NDN, NDK <b>Make sure it is narrow width</b>
V12TP-6001	37'4"	I12		

#### 4-POST CABLES

Part Number	Length	Model	Kit	Serial No. Prefix
PR090509	156"	CR14, 14000EWT		1400, OOA, OOB, OOC OOD, OOE, OOF, OOG, OOH, OOI, OOJ, OOK, OOL, OOM, OON
PR090510	219 ½"	CR14, 14000EWT		
PR090511	360"	CR14, 14000EWT		
PR090512	422 ½"	CR14, 14000EWT		
S130030	312 3/8"	OR12S LF	S100043	OQC, OQF
S130031	382 ½"	OR12S RF	S100043	
S130019	185 ½"	OR12S RR	S100043	
S130018	129 ¼"	OR12S LR	S100043	
S130028	336 3/8"	OR12L LR	S100040	OQA, OQD, OQG
S130029	406 ½"	OR12L RF	S100040	
S130019	185 ½"	OR12L RR	S100040	
S130018	129 ¼"	OR12L LR	S100040	
S130022	360 3/8"	OR12EL2 LF	S100044	OQB, OQE, OQH
S130023	430 ½"	OR12EL2 RF	S100044	
S130019	185 ½"	OR12EL2 RR	S100044	
S130018	129 ¼"	OR12EL2 LR	S100044	
S130175	319 ¾"	OR14S LF		ORP
S130176	389 3/8"	OR14S RF		
S130164	187"	OR14S RR		
S130163	130 ¾"	OR14S LR		
S130171	353 ¾"	OR14L LF, CRO14		ORK
S130172	423 7/8"	OR14L RF, CRO14		
S130164	187"	OR14L RR, CRO14		
S130163	130 ¾"	OR14L LR, CRO14		
S130167	373 ¾"	OR14EL2 LF, CRO14		ORJ
S130168	443 7/8"	OR14EL2 RF, CRO14		
S130164	187"	OR14EL2 RR, CRO14		
S130163	130 ¾"	OR14EL2 LR, CRO14		
FC5810-11	139 3/16"	CR18, CR18-2 LF		
FC5810-12	204 3/16"	CR18, CR18-2 RF		
FC5810-13	363 1/8"	CR18 LR		
FC5810-14	428 1/8"	CR18 RR		
FC5816-13	399 1/8"	CR18-2 LR		
FC5816-14	464 1/8"	CR18-2 RR		

Part Number	Length	Model	Kit	Serial No. Prefix
S130214	176"	CR28 Short LF		
S130215	248"	CR28 Short RF		
S130216	436 ¼"	CR28 Short LR		
S130217	508 ¼"	CR28 Short RR		
S130218	182"	CR28 LF		
S130219	254"	CR28 RF		
S130220	478"	CR28 LR		
S130221	550"	CR28 RR		
S130222	146	CR28-3 LF		
S130223	218	CR28-3 RF		
S130220	478	CR28-3 LR		
S130221	550"	CR28-3 RR		
S130218	182"	CR30 LF		
S130219	254"	CR30 RF		
S130220	478"	CR30 LR		
S130221	550"	CR30 RR		
S130220	478"	CR30-3 LR		
S130221	550"	CR30-3 RR		
S130222	146	CR30-3 LF		
S130223	218	CR30-3 RF		
SH4D-8020-1	126.4"	EFP9		
SH4D-8020-2	185.5"	EFP9		
SH4D-8020-3	306.5"	EFP9		
SH4D-8020-4	365.8"	EFP9		

**Note: Kits include 2 cables with hardware.**

**Note: Thread sizes have changed on some models depending upon vintage of lift.**

Printed 8/2011  
Rev D